

look

INSPIRE YOUR VISITORS



LookLink D

Unique digital tour-guide system
with extended features and
interactive possibilities





- Transmits pre-recorded messages
- Up to 60 simultaneous groups
- Customisable front side

- Hygienic
- One month battery autonomy
- World approved 2.4GHz digital frequency

Tomorrow's solution, Today !

A digital tour-guide solution from Look2innovate, the LookLink will seduce with its refined and customizable design, its unique features, and its extended interactive possibilities: It uses the internationally accepted 2.4GHz standard frequencies, offers 60 simultaneous channels without any interference, an integrated speaker, a one-month battery autonomy, the possibility of transmitting pre-recorded messages, the capability to synchronize with and stream external videos, and a large customisable area on the front side of the receivers for promoting your corporate identity!

The LookLink is an hygienic solution: Its transmitters and receivers are easy to sterilize using the Look2sanitise UVC system (23 units at a time!). Its receivers can be fitted with Look2innovate's Twist hygienic headsets that do not touch the ears!

Due to its unique multi-group and autonomy features, the LookLink is ideal for sites requiring a large number of groups operating in the same space, and a perfect solution for cruises offering multi-days city tours!

Highlights

Extreme possibilities

Up to 60 groups can operate in the same space without any interference nor restriction on the number of visitors per group!

Unique tour guide interaction

A group leader can address the visitors live, transmit to them pre-recorded messages, or provide audio content in sync with external videos!

Promotes your brand

A customisable high-quality 7.5 x 7.5 cm print can be placed on the front side of the LookLink. This is an excellent way to express your corporate identity (brand, logo, and colours), or to promote seasonal events and exhibitions.

Simple to use by the operator

Channels are easily and quickly set: receivers are handed to the group of visitors and the guide takes over the whole group by a push of a button.

Handling-free

The LookLink's receivers offer a one-month autonomy using two standard AA batteries. Thus, no daily charging is needed. Also, the receivers integrate speakers so that there is no need for external headsets, a main source of breakages and costs.

Minimum operational costs

Being a handling-free system, the LookLink needs considerably less personnel to operate, which means enormous savings in operational costs.

Ergonomic and lightweight

The LookLink receivers' shape and light weight (138 gr) allows for comfortable usage even for long visits.

Hygienic

The LookLink receivers integrate a speaker that is easy to clean. They can also be used with Look2innovate's Twist® hygienic headset that does not touch the ears!

High quality sound

The LookLink's digital transmission ensures sounds are transmitted and received integrally, without any loss in quality, and with a large frequency response.

Worldwide frequency compliance

The LookLink uses approved frequencies worldwide.

Absolute reliability

No moving parts, latest technologies and high-quality components (CE and ROHS compliant). A 2-year warranty is offered as standard, with the option of extending it to up to 5 years!

LookLink

Transmitter WLKD-TS

Introduction

Using Look2innovate's LookLink transmitter (WLKD-TS), the group guide can address visitors live, transmit to them pre-recorded messages, or even audio content in synch with playing videos. Up to 60 groups can run in parallel, each group is assigned a channel.

Highlights

Sound transmission

Live transmission via external microphone.
Streaming of pre-recorded messages in mono or stereo.

IR receiver

Infra-Red (IR) used for message triggering and synchronization with external videos.

Synchronization

Lip-accurate synchronisation with and streaming of external videos.

Navigation system

Easy and intuitive to use.

OLED graphic display

Front colour display OLED 160 x 128 pixels.
Visible in broad daylight from up to a 160° angle.
Displays images, menus, lists of pre-recorded messages, battery level, etc.

RF specifications

60-channel, digital 2.4 GHz, compatible with universal 802.15.4 IEEE standard.

Application

Guided tours with up to 60 simultaneous groups without interference.

Transmission power

+3dBm (2mW)

Coverage

50 meters in open space.

Programming tool

PC-based iGuide.
User-friendly and powerful.

Battery

Li/Ion (memory effect free)
Charging time 90 minutes to 80%
Autonomy Up to 30 hours.

CHAI

Individual charger.

Enclosure

Moulded ABS/PC plastic.

Dimensions

118 x 75 x 25 mm

Weight

180 g

Operating temperature

-10°C to 50°C

Relative Humidity

0-96%


Warranty

2 years.



LookLink

Transmitter LKWLKD-R



Introduction

In addition to a unique battery autonomy of around one month that allows for multi-days, hassle-free tours, the LKWLKD-R receiver offers the possibility of customising a large part of its front side. A great way to promoting your corporate identity!

Highlights

Sound

Speaker	Integrated.
Bandwidth	20Hz to 20KHz
Distortion	Below 0,01%
Dynamic	92 dB
Reception	Mono or Stereo.
Headsets	Stereo headset jack connection.

Keypad

Buttons	3 (Volume Up, Volume Down, and Power)
LEDs	2 (Yellow, and Red/ Green)

RF specifications

60-channel, digital 2.4 GHz, compatible with universal 802.15.4 IEEE standard.

Application

Guided tours with up to 60 simultaneous groups without interference.

Programming

Via the Tour-guide.
Updates driver wirelessly to the LookLink.

Battery

Type	2 x AA 1.5V alkaline batteries.
Autonomy	One month.

Enclosure

Moulded ABSPC plastic.

Dimensions

128 x 75 x 20 mm

Weight

138 gr

Environment

Temperature -10°C to 50°C

Optional Accessories



Hygienic headset
Does not touch the ears!
ref. TWIST



32-unit storage
and distribution bag.
ref. LKWLKD-CASE



External microphone
ref. WLKDT-MIC



High quality earset
(hard plastic)
ref. WLEARSET



80 cm high quality cable
Ref. CA80-Q

